
Dart Aerospace Ltd. Monday, 4/30/2007 7:22:12 AM Date User Kim Johnston **Process Sheet** : CU-DAR001 Dart Helicopters Services **Drawing Name** : WEARPLATE Customer Job Number : 32097 **Estimate Number** : 10298 : D25773 : N/A **Part Number** P.O. Number S.O. No. : N/A D2577 REV E : 4/30/2007 **Drawing Number** This Issue : N/A Project Number Prsht Rev. : SMALL /MED FAB **Drawing Revision** First Issue : N/A : 30551 Material Previous Run : 5/20/2007 30 Um: Each **Due Date** Written By Checked & Approved By Re-format; Incorporated D2577-101/-13 K : Est: Comment J/RF Est. C 06.07.21 EC waterjet **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: M1010S16GA 1010/1025/A21/6aA SHEET 1.0 Comment: Qty.: 27.7200 sf(s) 0.9240 sf(s)/Unit Total: 1010/1025/A21/6aA SHEET Batch: M 10442 WATER JET 2.0 Comment: FLOW WATER JET 1-Cut D2577-101 as per Dwg D2577 07 05 16 ... Dwg Rev: <u>F</u> Prog Rev:<u></u> € 2-Deburr if necessary INSPECT PARTS AS THEY COME OFF MACHINE 3.0 Comment: INSPECT PARTS AS THEY COME OFF MACHINE QC8 4.0 Comment: SECOND SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 5.0

Comment: SMALL & MEDIUM FAB RESOURCE 1
Deburr





Dart	Aer	os	pa	CE	Ltd
				\neg	

W/O:			WORK ORDER CHANGES										
DATE	STEP			(1)	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
_	-				gar.								
		*				;							
			- in the second		,								
				\									
Part No);		PAR #:	Fault Cate	orv:	NC	R: Yes	No Da	A: 🔾	Date: 6	871x6/18		

NCR:		V	WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Section B Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspecto		
			1		30					
		•								
							(-E)			
				; 			7 3.			
						-	÷			
					e S					

NOTE: Date & initial all entries

Monday, 4/30/2007 7:22:12 AM Date: User: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: WEARPLATE Part Number: D25773 Job Number: 32097 Job Number: Seq. #: Description: Machine Or Operation: NC BRAKE BRAKE NC Comment: NC BRAKE 1-Form on brake as per Dwg D2577 using DT8155 and DT8179 2-Identify as D2577-3 7.0 INSPECT WORK TO CURRENT STEP Comment: INSPECT WORK TO CURRENT STE LARGE FAB 1 LARGE FABRICATION RESOURCE 1 Comment: LARGE FABRICATION RESOURCE 1 Weld hard surface using DT8308A & DT8308B as per Dwg D2577 Description Qty 7560 Hardcoat Rod **A/R** 9.0 QC9 Comment: VISUAL WELDING INSPECTION POWDER COATING 10.0 POWDER COATING 101601 Comment: POWDER COATING Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3 INSPECT POWDER COAT/CHE 11.0 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 12.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE QC21 13.0 5/101/01 Comment: FINAL INSPECTION/W/O RELEASE Words Job Completion

Form: rorocess

Page 2

Dart Aerospace I	Ltd
------------------	-----


N/O:		WORK ORDER CHANGES											
DATE	STEP		PROCEDU	RE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
		7	40										
							4		1				
		R			*								

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
			QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification	Approval Chief Eng	Approval QC Inspector			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C					
						,		-			
			·								
				1							

NOTE: Date & initial all entries

7560 HARDCOAT WELD 4.0 LONG 0.063 TO 0.125 HIGH (TYP. 11 PLS.) WELD AFTER BENDING AS ILLUSTRATED PER DT8308



D2577-1 & D2577-3 WEARSHOE MAKE FROM D2577-11 AND D2577-13 RESPECTIVELY POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED






RO. 유

٦.		_		_	_					
	DESIGN	снескер	^	3TA0	00.C	>	В	റ	D	1
	***	Û	*		00.09.22					
	DRAWN BY	APPROVED	£			96.0	96.12.04	97.05.30	98.0	
	D BY	-6	1			96.09.16	2.04	5.30	98.08.17	200
		DRAWING NO.	02577	THILE	WEARSHOE	NEW	ADD	CHA	COR	ADD
	DA	NO.	7		SHOE	NEW ISSUE	HAR	NGE F	RECTE	D257
	DART AEROSPACE HAMKESBURY, ONTARIO, CA					m	ADD HARDCOAT WELDS	CHANGE HOLES TO OBROUN	CORRECTED DIMENSIONS ON	77-10
	ERC						WEL	70	AENS)1/-
	RT AEROSPACE HAWKESBURY, ONTARIO, CA						DS	OBRO	SNO	ADD D2577-101/-11/-13
	SS							Ĕ	9	13

SQ


ጵ



00.09.22 D2577 WEARSHOE

SHEET

2 OF 5



D2577-101 FLAT PATTERN

BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570

SERIES STEEL 0.063 THICK

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

		1.	*
SHOP COPY RETURN TO ENGINEERING UNCONTROLLED CO SUBJECT TO AMENDME WORK ORDER NO SOLDER NO SOLDER	8.50 — FLAT		DETAIL C ON PAGE 5 D2577-11 ONLY
4 P			

D2577-11 & D2577-13 LONGITUDINAL BEND


MAKE FROM D2577-101

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 1996 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.






OF 5

D2577-5 FLAT PATTERN



D2577-5 LONGITUDINAL BEND



D2577-5 WEARSHOE

BREAK ALL SHARP CORNERS 0.010 TO 0.020

MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570

SERIES STEEL 0.063 THICK

POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 1996
DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE I
OR COMMUNICATED TO ANY OTHER PERSON WITH by DART AEROSPACE EXPRESS CONDITION THAT IT IS HOUT WRITTEN PERMISSION FROM

SHI

S NOT TO BE USED FOR A

ANY PURPOSE

OR COPIED


00.09.22

WEARSHOE


SCALE 1:10

DRAWING NO. D2577 HAWKESBURY, ONTARIO, AEROSPACE L SHEET 4 OF 5

D2577-7 FLAT PATTERN



D2577-7 LONGITUDINAL BEND



D2577-7 WEARSHOE

SHOP COPY

BREAK ALL SHARP CORNERS 0.010 TO 0.020

AISI 1010-1025 OR ASTM A36/A366/A569/A570 MATERIAL: SERIES STEEL 0.063 THICK

POWDER COAT GREY (4.3.5.6) PER DART QSI 005 4.3 FINISH: TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 1996 by DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

ANY

PURPOSE

ဝွ

COPIED

WITHOUT NOTICE

SUBJECT TO AMENDMENT

UNCONTROLLED COPY ENGINEERING RETURN TO







DESIGN	DRAWN BY	— 	OSPACE LTD ONTARIO, CANADA
CHECKED	APPROVED	DRAWING NO.	REV. E
#	#	D2577	SHEET 5 OF 5
DATE		TITLE	SCALE
00.09.22		WEARSHOE	1:10

DETAIL B (SCALE 1:1)






DETAIL C (SCALE 1:1)



SECTION D-D (SCALE 1:1)



SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE WORK ORDER

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	32097
Description: Bearpaw WEARDINTE	Part Number:	D9277-3
Inspection Dwg: 12577 Rev: E		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

X First Article	Prototype
-----------------	-----------

Inspection Sheet Drawing Dimension		Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Α	3.182	11-0.010	3,182	1		VEVN	
В	2.43	+1-0.030	2.437	$\sqrt{}$		VENN	
С	D.220 X D.300	+1-0.010	0.2170.30	1		VENN	
D	36.000	+1-0.010	36.000	1		MONSURING	mpl
Е	30.000	41-0.010	30.000	V		Mensoring	nee
F							V
G							
Н							
ı							
J							
K							
L							
M							
N							
0							
Р							
Q							
R							
S							
Т							
U							
٧							
W							
Х							
Υ				1			

Measured by: M M	Audited by:		Prototype Approval:	N/A
Date: 07.05 K	Date:	1005.22	Date:	N/A

Rev	Date	Change	Revised by	Approved
Α	04.01.09	New Issue	KJ/RF	

